

Interactive comment on “Correction of albedo measurements due to unknown geometry” by U. Weiser et al.

U. Weiser et al.

ursula.weiser@zamg.ac.at

Received and published: 30 October 2015

We thank the reviewer for the helpful comments and suggestions on how to improve the manuscript. In the course of revision of the manuscript several changes were made. Therefore, some of the suggestions have been included and others were obsolete due to the changes. Please see our answers to the points below:

Although I feel this contribution is very useful for correcting instrument orientation anomalies in ground-based measurements of albedo and global radiation, I advise minor grammatical and technical revisions throughout the manuscript prior to publication. In addition, I urge the authors to include a few examples of applications for polar and alpine studies that would benefit from the albedo measurement correction. Suggested edits below:

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



pages throughout [consider changing “directions” to azimuths, the more commonly accepted terminology] We decided to leave “directions” or “aspects”, as they refer to slope- or a sensor-tilts

p. 2710 line 17, rephrase sentence: Once the under lying snow/ice is isothermal, the energy balance of a glacier surface defines the amount of . . . Rephrased.

line 23, “physical conditions” is very broad => environmental or meteorological Due to changes in the manuscript this part is now changed.

line 23, “snow cover” is too specific => glacial surface or glacial morphology Due to changes in the manuscript this part is now changed.

p. 2711 line 3, be several 100% is odd and difficult to read, try Many publicationscan (more than double) when Due to changes in the manuscript this part is now changed.

line 5, define what you mean by diurnal albedo, as diurnal commonly refers to daylight and nocturnal conditions. With ‘diurnal’ we mean the diurnal cycle of albedo during one day.

line 15, underestimation of “global radiation”, define this clearly as the sum of incoming direct and diffuse shortwave (solar) radiation. Due to changes in the manuscript this part is now changed.

line 19, small “opening angle”, this is not a common term used in optics, better to use “field of view”, such as narrow field of view replace throughout Thank you, changed.

line 22, add sentence stating it is nearly impossible to maintain a constant sensor orientation (tilt) on snow and ice surfaces because of metamorphism and hence changes in micro topography. Due to changes in the manuscript this part is now changed. The sentence was added in next section.

p. 2712 line 19, on “a” preceding overcast day. change clouded to overcast (a more

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

common term) Thank you, changed.

line 27, albedo measurement is fitted to contrast, (eliminate "developed and" since your intent is to focus on measured data) Due to changes in the manuscript this part is now changed.

p. 2713 line 10 and throughout your manuscript you must always define the units of variables as they are defined for equations. F_{up} , reflected and F_{down} , global radiation ($W\ m^{-2}$ or W/m^2), This helps the reader and author recreate the experiment or derivation of equations. We added an appendix with all used symbols and their units added.

line 22, both the "slope" and the sensor, (replace slope by glacier surface to be more explicit) Due to changes in this part of the manuscript this part is now changed.

p. 2714 line 6, within two opposite . . . (replace opposite with opposing) Thank you, changed.

line 17, again, replace all occurrences of "opening angle" with "field of view" Thank you, changed.

line 23, A solar panel alone does not serve as the power source, so add A solar panel "and battery" serve as a power supply.. Thank you, changed.

line 25, use of an inclinometer should be highlighted earlier in this section since it is a critical measurement in your approach Due to changes in the manuscript this part is now changed. Mentioned earlier.

p. 2715 line 3, awkward sentence starting with Due to . . . eliminate this and state, (The orientation of the AWS on the glacier changes continuously and is therefore estimated with an uncertainty . . .) since the sensor is fixed to the AWS support hardware. Due to changes in the manuscript this part is now changed.

line 6, cannot have just a sentence sitting alone like this, please add your reasoning

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



for choosing one, ten, and sixty minute averages to expand. Due to changes in the manuscript this part is now changed.

line 8, this sentence is difficult to read, use active voice instead of “is used” . . .rewrite as, We used data from Suntracker, which is .. Network (BSRN) to determine the optical properties of the . . . radiation. Due to changes in the manuscript this part is now changed.

Line 12, opening angle => field of view Changed.

line 14, eliminate the word employed, not needed Changed.

p. 2716 all equations should have units [W m-2] either in the previous definition of variables or simply after your equations We added an appendix with all used symbols and their units added.

line 22, parameters ϵ and V are non-dimensional, right, since S is [W m-2] Yes, epsilon and V are dimensionless, see appendix.

p. 2717 equation 7, $\cos \theta_{\text{tilt}} = F_{\text{downbold}} * n$, you need to clearly define F_{downbold} as a vector direction, not F_{down} magnitude [W m-2], otherwise your equation does not make sense as non-dimensional. Maybe state that the bold version of variables is the direction component only, not the magnitude. This is just to be clear for some readers of your paper. You may consider a table to clarify your parameters, variables and units/vectors . . .an Appendix of Parameters and Variables at the end? Thank you, we clarified this in the text, bold symbols are defined as vectors, the Appendix with all used symbols and their units was added.

p. 2719 Maybe after equation 17, add a sentence stating that the previous derivation assumes a constant azimuth angle of theta tilt (south). Added.

p. 2720 line 4, . . .the incoming irradiance “hitting”, change to orthogonal or perpendicular to the up-facing . . . Changed.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

equation 19, because F_{up}/F_{down} appears to only multiply P_{diff} , you need to add () to indicate it multiplies both terms. Added.

p. 2723 equation 24, units $W m^{-2}$, and the $\langle \rangle$ brackets indicate the average of daylight reflected solar radiation equation at bottom needs parentheses around the numerator and denominator to clarify () added, Appendix with all used symbols and their units added.

p. 2724 line 6, remove “as well as” replace by and Changed.

line 10, The shortwave “radiative balance” . . . is more specifically called the net shortwave radiation, $SW [W m^{-2}]$ Also, I suggest the symbol change to SW_{net} rather than SW . Thank you, we changed this.

p. 2725 line 9, the lower (down-facing) pyrometer is 180 degrees in the opposite direction of the up-facing, so the direction is 90 degrees or easterly Sentence removed.

line 13, this should not be a new paragraph, since there is only one sentence above, combine Combined.

p. 2726 line 24, smaller than in winter months due to a (lower) zenith angle in summer, rather than “different.” Changed.

p. 2727 This discussion is too brief, should add a couple examples of where your approach could help increase accuracy of albedo measurements. Reference studies of albedo in high latitudes over snow and ice, or instances where high zenith angles occur. We rewrote the discussion section.

line 25, change “flat” to greatest Due to changes in the manuscript this part is now changed.

p. 2728 line 12, “cut-offs” is not specific enough, try “extreme climates and time constraints” Due to changes in the manuscript this part is now changed.

line 19, this sentence would read better if your remove “, which” Due to changes in the

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

manuscript this part is now changed.

p. 2729 line 10, replace the word “flat” with high or “close to the horizon” Due to changes in the manuscript this part is now changed.

line 20, same thing You need to make it clear that your approach to correcting albedo, equation 20, requires that AWS units incorporate 2-axis inclinometers to obtain tilt and azimuth of the pyronometer Due to changes in the manuscript this part is now changed.

Figure 2. angle σ should be σ_t for the tilt angle and vector F_{down} from the solar beam appears almost parallel to the tilted surface . . .you might consider decreasing θ_s so the solar beam zenith is different than the tilted surface Changed into σ_t , we decided not to change θ_s , because a similar figure shown in 2D to clarify solar beam reaching a different tilted surface.

Figure 10. It is confusing when you use SW to represent what you call the radiative balance (net solar radiation is better), you might consider representing the net radiation as SW_{netmeas} and SW_{netcorr} . We decided to change this Figure, due to the consistency with the manuscript.

Additional changes of the manuscript: Abstract, Introduction, Discussion and Conclusions rewritten. High resolution radiation model introduced to improve and expand the described method. Solar zenith angle limited to 50° , where no albedo dependence occurs.

Interactive comment on The Cryosphere Discuss., 9, 2709, 2015.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)