

## ***Interactive comment on “Review article: Inferring permafrost and permafrost thaw in the mountains of the Hindu Kush Himalaya region” by S. Gruber et al.***

**F. Salerno**

salerno@irsa.cnr.it

Received and published: 21 June 2016

I read with pleasure the paper of Gruber et al.. I think the paper is generally well written and structured in a clear way.

I propose some minor integration:

Line3, p.3; Studies on recent climate trends from the Himalayan range are limited, and even completely absent at high elevation, At this regard, I suggest to review the recent paper of Salerno et al., 2015 related to the time series of temperature and precipitation reconstructed from seven stations located between 2660 and 5600 m a.s.l. during 1994–2013 on the southern slopes of Mt. Everest.

[Printer-friendly version](#)

[Discussion paper](#)



Line9, p.3. The study of Shrestha et al., 1999 was updated by Kattel and Yao (2013). In western Himalaya (e.g., Bhutiyani et al., 2007; Shekhar et al.,2010), in eastern Himalaya and in the rest of India (e.g., Pal and Al-Tabbaa, 2010). At regional level, on the Tibetan Plateau, I suggest (Liu et al., 2006; Liu et al., 2009). Yang et al. (2006) in the northern part of the central Himalaya. Salerno et al., 2015 in the southern part of the central Himalaya. It is important to point out that winter trends are always found higher in the winter season. In the northern part of Himalaya the warming is observed to be influenced more markedly by the minimum temperature increase (as reported also by Pepin et al., 2015 for the region). In contrast, studies located south of the Himalayan ridge observed a prevalence of maximum increase. In this regard, Salerno et al., 2015 provide a sort of review of these studies. I think that the possible impacts on permafrost (and in general on cryosphere) in HKH are understandable if the scientific community start considering in greater detail the recent finding related to the climatic drivers of change, even if incomplete (considering the remoteness of the region), and even if sometime they do not go in the expected direction (e.g., summer increase of max temp).

Line9, p.3. In relation to the weaking of the monsoon, Salerno at al., 2015 at local scale, but with the unique existing land time series confirm an huge decreasing in the recent years. This analysis is recently confirmed also by Salerno et al., 2016 considering the behavior of glacial unconnected lakes a gridded climatic data.

Line 30, p. 6: In relation to ground temperature measurements in HKH, I suggest to review the findings of Fukui et al., 2007.

Bhutiyani, M. R., Kale, V. S., and Pawar, N. J.: Long-term trends in maximum, minimum and mean annual air temperatures across the Northwestern Himalaya during the twentieth century, *Clim. Change*, 85, 159–177, doi:10.1007/s10584-006-9196-1, 2007.

Fukui et al., 2007, Changes in the lower limit of mountain permafrost between 1973 and 2004 in the Khumbu Himal, the Nepal Himalayas. *Global and Planetary Change*

[Printer-friendly version](#)[Discussion paper](#)

55 (2007) 251–256.

Kattel, D. B. and Yao, T.: Recent temperature trends at mountain stations on the southern slope of the central Himalayas, *J. Earth Syst. Sci.*, 122, 215–227, doi:10.1007/s12040-012-0257-8, 2013.

Liu, K., Cheng, Z., Yan, L., and Yin, Z.: Elevation dependency of recent and future minimum surface air temperature trends in the Tibetan Plateau and its surroundings, *Global Planet. Change*, 68, 164–174, doi:10.1016/j.gloplacha.2009.03.017, 2009.

Liu, X. D., Yin, Z. Y., Shao, X., and Qin, N.: Temporal trends and variability of daily maximum and minimum, extreme temperature events, and growing season length over the eastern and central Tibetan Plateau during 1961–2003, *J. Geophys. Res.*, 111, 1–19, doi:10.1029/2005JD006915, 2006.

Pal, I. and Al-Tabbaa, A.: Long-term changes and variability of monthly extreme temperatures in India, *Theor. Appl. Climatol.*, 100, 45–56, doi:10.1007/s00704-009-0167-0, 2010.

Salerno, F., Guyennon, N., Thakuri, S., Viviano, G., Romano, E., Vuillermoz, E., Cristofanelli, P., Stocchi, P., Agrillo, G., Ma, Y., and Tartari, G.: Weak precipitation, warm winters and springs impact glaciers of south slopes of Mt. Everest (central Himalaya) in the last 2 decades (1994–2013), *Cryosphere*, 9, 1229–1247, doi:10.5194/tc-9-1229-2015, 2015.

Salerno, F., Thakuri, S., Guyennon, N., Viviano, G., and Tartari, G.: Glacier melting and precipitation trends detected by surface area changes in Himalayan ponds, *The Cryosphere*, in press, 2016.

Shekhar, M. S., Chand, H., Kumar, S., Srinivasan, K., and Ganju, A.: Climate-change studies in the western Himalaya, *Ann. Glaciol.*, 51, 105–112, doi:10.3189/172756410791386508, 2010.

Yang, X., Zhang, Y., Zhang, W., Yan, Y., Wang, Z., Ding, M., and Chu, D.: Cli-

mate change in Mt. Qomolangma region since 1971, *J. Geogr. Sci.*, 16, 326–336, doi:10.1007/s11442-006-0308-7, 2006.

---

Interactive comment on The Cryosphere Discuss., doi:10.5194/tc-2016-104, 2016.

TCD

---

Interactive  
comment

Printer-friendly version

Discussion paper

